

MSDS# 358-20
Date: 03/31/2009

Total Pages: 2

Foam Plus Foaming Coil Cleaner

SECTION 1. PRODUCT NAME

Catalog No. 358-20
Manufactured by: Specialty Chemical Manufacturing
A DiversiTech Company
1633-B High Bridge Road
Quincy, FL 32351

EMERGENCY Phone No.: 1+800.434.9300 Chem-Tel (Chemical Emergencies Only)
Phone Number for Information: 850-875-1716 Fax: 850-627-2699
Date Revised: March 2009
Prepared by: Anthony Jernigan

SECTION 2. INGREDIENTS

INGREDIENT	CAS No.	% Weight	313 Chem	Skin	Carcinogen	PEL	TLV/TWA
Sodium Metasilicate	6834-92-0	01-05	NO	NO	NO	N/E	N/E
Ethylene Glycol Monobutyl Ether	111-76-2	01-05	YES	YES	NO	50 ppm	20 ppm
Trisodium Phosphate	7601-54-9	01-05	NO	NO	NO	N/E	N/E
Liquefied Petroleum Gas	68476-86-8	05-10	NO	NO	NO	1000 ppm	1000 ppm

SECTION 3. PHYSICAL DATA

Data Below Based On Aerosol Concentrate Only:
Boiling Point: -212 °F
pH: 12.8 Vapor Density(Air=1): >1
Solubility In Water: Complete Specific Gravity (H2O=1)@75°F: 1.027
Appearance/Odor: Hazy, White Liquid, Lemon Odor

Data Below Based On Total Contents:
Vapor Pressure of can (psig @70°F): 55
Total VOC %: 8.66%

SECTION 4. FIRE AND EXPLOSION HAZARD DATA

Flash Point (of Concentrate Only): None to Boiling (-212° F)
Flammability (as per USA Flame Projection Test): Non-Flammable Spray
Extinguishing Media: Foam, CO2, Dry Media
Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.
Unusual Fire and Explosion Hazards: Exposure to temperature above 120° F may cause bursting.

SECTION 5. REACTIVITY DATA

Stability: Material Stable.
Hazardous Polymerization: Will not Occur.
Incompatibility: Avoid contact with strong oxidizing agents.
Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxide

SECTION 6. STORAGE AND HANDLING

KEEP OUT OF REACH OF CHILDREN.
For Industrial and Institutional use only.
Store in a cool, dry area away from heat or open flame.
Do not store at temperatures above 120° F.

Foam Plus Foaming Coil Cleaner

SECTION 7. HEALTH AND FIRST AID

PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE:

Eyes: May cause mild irritation including redness, burning and tearing. Prolonged contact may cause damage to the cornea.

Skin: May cause moderate irritation. May aggravate existing skin conditions.

Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation and burns to the upper respiratory tract, dizziness, nausea and other central nervous system effects.

Ingestion: Can cause gastrointestinal irritation and burns, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.

FIRST AID PROCEDURES:

Eyes: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

Skin: Wash with soap and water. If irritation persists seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately.

SECTION 8. SPECIAL PROTECTION DATA

Respiratory Protection: None needed for proper use in accordance with label directions.

Ventilation: Provide local exhaust to keep air concentrations of ingredients listed in Section II below established exposure limits.

Protective Gloves: Use chemical resistant gloves if hand contact will be made.

Eye Protection: Always wear safety glasses or chemical proof goggles when working with chemicals.

SECTION 9. SPILL OR LEAK PROTECTION

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK: Allow foam to dissipate and all propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State and local laws.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.

SECTION 10. MANUFACTURED BY

Diversitech

6650 Sugarloaf Parkway, Suite 100

Duluth, GA 30097

Phone 1+678.542.3600

EMERGENCY Phone No. 1 800-255-3924 Chem-Tel (Chemical Emergencies Only)

SECTION 11. REFERENCE NUMBER AND DATE OF ISSUE

MSDS Safety Data Sheet: 358-20

Issued 03/31/2009

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement.