

# Safety Data Sheet

## Per GHS Standard Format

### SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name:** Lag-Kloth 5'x15' Blanket No. 6425, 5'x150' Roll No. 6426, 4"x150' Tape No. 6427

**Recommended Use:** Rewettable woven fiberglass product

**Product Description:** Inorganic filled woven rewettable fiberglass product

#### Information on the Supplier of the Safety Data Sheet

Manufactured For:  
Fiberlock Technologies, Inc.

150 Dascomb Road

Andover, MA 01810

P: 800-342-3755 F: 978-475-6205

Emergency Telephone Numbers:

CHEM TEL: (U.S.): 1-800-255-3924

(Outside the U.S.): 813-248-0585

### SECTION 2: HAZARDS IDENTIFICATION

Signal Word: **WARNING**



#### GHS Label Statements

Hazard Statements:

Causes mild skin irritation.

May cause respiratory irritation.

Suspected of causing cancer.

#### GHS Classifications

This product is considered hazardous by The 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Hazards identified are based on hazards of the ingredients. The finished product has not been tested.

Skin irritation (Hazard Category 3)

Specific target organ toxicity, single exposure: Respiratory tract irritation (Hazard Category 3)

Carcinogenicity (Hazard Category 2)

#### PRECAUTIONARY STATEMENTS

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection, and face protection. Avoid breathing fibers or dust. Use only outdoors or in a well-ventilated area. Keep containers tightly closed.

**Response:** If exposed or concerned: Get medical advice/attention. If inhaled: Remove victim to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention.

**Storage:** Store in a well-ventilated place. Store locked up. Keep container tightly closed.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

**GHS Hazard and Precautionary Statement Codes:** See Section 16.

### SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

**Chemical Product Name:** Fiberglass fabric

**Synonyms:** Fibrous glass

<u>Component</u>	<u>CAS No.</u>	<u>Max. Weight, %*</u>
Glass, oxide, chemicals	65997-17-3	55.0
Fibrous glass dust	Not assigned	Not assigned
Normal textile sizing	Not assigned	3.0
Bentonite	1302-78-9	30.0
Inorganic Clays and fillers	Not assigned	20.0
Crystalline Silica (as portion of bentonite)	14808-60-7	3.0
Inorganic dispersants	Not assigned	1.0
Organic materials and pigments	Not assigned	1.0

\*The exact concentration of composition has been withheld as a trade secret.

### SECTION 4: FIRST AID MEASURES

**Skin Contact:** Flush with ample cool water followed by washing with mild soap to remove accumulated fibers.

**Eye Contact:** Flush with flowing water for 15 minutes – seek medical attention if necessary.

**Inhalation:** If processing dust is inhaled, move the person to fresh air.

**Ingestion:** Not likely to occur through normal use. Should ingestion occur, seek medical attention.

**Most Important Symptoms/Effects:** Suspected of causing cancer. Direct skin contact with fibrous glass or its dust may cause mechanical irritation and transitory dermatitis. Breathing of fibers or dust may cause mechanical irritation of the mouth, nose, and throat.

**Indication of Immediate Medical Attention and Special Treatment Needed:** Get medical attention if product comes into contact with skin or eyes, or if it is inhaled or ingested.

### SECTION 5: FIRE-FIGHTING MEASURES

**Extinguishing Media:** Water, dry powder, or foam (needed for packaging only).

**Hazardous Combustion Products:** CO, CO<sub>2</sub>, and low molecular weight hydrocarbons.

**Protective Equipment:** Firefighters should be equipped with self-contained breathing apparatus and turn out gear.

**Fire Fighting Procedures/Precautions:** Fiberglass itself will not support combustion, but in a sustained fire, proper protection against products of combustion from the fuel must be worn.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** A release of this product is not expected to pose risks to workers under normal circumstances. If the material is involved in a fire, or if dusts are produced, no action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.

**Protective Equipment:** Wear protective gloves/eye protection/skin protection.

**Methods/Materials for Containment and Cleaning Up:** Dust or loose fibers can be vacuumed or swept with the aid of a dust suppressant. Dispose of in accordance with all government regulations. Do not discharge into waterways or sewer systems without proper authority.

## SECTION 7: HANDLING AND STORAGE

**Precautions:** This product should be handled under conditions of good industrial hygiene and in conformity with any local regulations to avoid unnecessary exposure. Use in a well-ventilated area. Do not breathe dust. Avoid contact with skin.

**Storage:** Store in a well-ventilated, dry location.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Limits:

<b>Component</b>	<b>CAS</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>
Fibrous dust*	None	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>
Bentonite*	1302-78-9	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	None Established
Crystalline Silica as Quartz* (as portion of bentonite)	14808-60-7	10 mg/m <sup>3</sup> (respirable)	0.025 mg/m <sup>3</sup>

\*Dust may be produced during handling

**Engineering Controls:** Normal area ventilation is sufficient in most cases to keep dust and fiber levels below the TLV or PEL.

### Personal Protection Measures/Equipment

**Skin Protection:** Barrier creams, gloves, and long sleeve loose fitting clothing may be required for certain workers who have sensitive skin or contact dermatitis. Work clothing should be laundered separately from other clothing before reuse.

**Eye Protection:** Not normally required, but as a good safety work practice, eye protection such as safety glasses/side shields or equivalent whenever use of the product releases airborne fibrous glass.

**Respiratory Protection:** If the use or manufacturing of this product generates dust concentrations above the exposure limit, use certified respirators.

**Other Protection:** Observe good personal hygiene.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance (physical state, color, etc.):** Solid

**Odor:** Odorless

**Odor Threshold:** None

**pH:** None

**Melting Point/Freezing Point:** >800°C (>1472°F)

**Initial Boiling Point:** Not applicable

**Flash Point:** Not applicable

**Evaporation Rate:** Not applicable

**Flammability:** Not applicable

**Upper/Lower Flammability or Explosive Limits:** Not applicable

**Vapor Pressure:** Not applicable

**Vapor Density:** Not applicable

**Relative Density/Specific Gravity:** 2.4 to 2.7 (Glass)

**Solubility:** Insoluble

**Partition Coefficient:** Not known

**Auto-ignition Temperature:** Not known

**Decomposition Temperature:** Not known

**Volatility:** Not known

**Viscosity:** Not applicable

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Not self-reactive, water-reactive, or spontaneously combustible

**Chemical Stability:** This product is stable.

**Hazardous Reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to Avoid:** When exposed to high temperatures, may produce hazardous decomposition products.

**Incompatible Materials:** Not known

**Hazardous Decomposition Products:** Fiberglass products may release small amounts of acetic acid and other organic materials at elevated temperatures.

**Hazardous Polymerization:** Will not occur

## SECTION 11: TOXICOLOGICAL INFORMATION

**Relevant Route of Exposure/Target Organs:** Dermal, Inhalation

**Symptoms:** Suspected of causing cancer. Causes mild skin irritation. May cause irritation of the mouth, nose, and throat after inhalation exposure.

**Delayed and Immediate Effects:** Not known

**Chronic Effects (Short and Long Term Exposure):** Not known

**Numerical Measures of Toxicity:** No data available

**Carcinogenicity:** Crystalline silica is listed as a class 1 carcinogen by the IARC and is listed as a carcinogen according to the NTP.

**Mutagenicity:** No data available

**Reproductive Toxicity:** No data available

## SECTION 12: ECOLOGICAL INFORMATION

No data available

## SECTION 13: DISPOSAL CONSIDERATIONS

Do not discharge into waterways or sewer systems without proper authority. Dispose of in accordance with all government regulations.

## SECTION 14: TRANSPORT INFORMATION

Not regulated as a hazardous material/dangerous good for transportation in all modes of transportation (US DOT, ICAO/IATA, IMO).

## SECTION 15: REGULATORY INFORMATION

**TSCA Inventory Status:** Exempt per section 8(a), 710.2(f), and 704.5(a)

**SARA Title III Section 302:** None

**SARA Title III Section 304:** None

**SARA Title III Section 311/312 Hazard Categories:** Immediate (acute), Delayed (chronic)

**SARA TITLE III Section 313:** This product does not contain components that are subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 (EPCRA or SARA Title III) and 40 CFR 372.

**CERCLA RQ:** Not listed

**California Proposition 65:** Crystalline silica is listed as a carcinogen. No airborne, unbound particles of respirable size are anticipated to be produced under anticipated normal use conditions. Caution should be used to prevent the generation of airborne particles.

**Massachusetts Right-To-Know:** Less than reportable quantity

**New Jersey Right-To-Know:** Less than reportable quantity

**Pennsylvania Right-To-Know:** Less than reportable quantity

**Canada:** All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the Canadian DSL.

**Europe:** All components of this product are included on the European Inventory of Existing Commercial Chemical Substances (EINECS) or are not required to be listed on the EINECS.

**China:** All components of this product are included on the Chinese Inventory (IECSC) or are not required to be listed on the Chinese IECSC.

**Japan:** All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese inventory.

**Korea:** All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean ECL.

**Philippines:** All components of this product are included on the Philippine (PICCS) or are not required to be listed on the Philippine PICCS.

**Australia:** All components of this product are included on the Australian (AICS) or are not required to be listed on the Australian AICS.

## **SECTION 16: OTHER INFORMATION**

**Date of Preparation or Revision:** 6/10/2015

This product is classified as a Skin Irritant Category 3, however OSHA does not include Category 3 substances in its hazard classification system.

### **Abbreviations**

ACGIH/TLV	American Conference of Industrial Hygienists Threshold Limit Value
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR US	Code of Federal Regulations
CO	Carbon monoxide

CO2	Carbon dioxide
DOT	US Department of Transportation
EPCRA	Emergency Planning and Community Right to Know Act
GHS	UN Globally Harmonized System of Classification
HCS	Hazard Communication Standard
IARC	International Agency for Research on Cancer
ICAO/IATA	International Civil Aviation Organization/International Air Transport Association
IMO/IMDG	International Maritime Organization/International Maritime Dangerous Goods Code
NTP	National Toxicology Program
OSHA	US Occupational Safety Health Administration
PEL	Permissible exposure limit
RQ	Reportable quantity
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety data sheet
TSCA	Toxic Substances Control Act
UN	United Nations
US/USA	United States

While this company believes that the data contained herein are factual and the opinions expressed are based on tests and data believed to be reliable, it is the user's responsibility to determine the safety, toxicity, and suitability for his or her own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by this company as to the effects of such use, the results to be obtained, or the safety and toxicity of the product, nor does this company assume any liability arising out of use, by others, of the product referred to herein. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or governmental regulations.

**WARNING!** If you scrape, sand or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD (5323) or log on to: [www.epa.gov/lead](http://www.epa.gov/lead)