

# SAFETY DATA SHEET

# PRORESTORE.

PRODUCTS

Revision Date 21-May-2015  
Version 2

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name Last Resort  
Product code LG-F1035

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Deodorizer  
Restrictions on use Professional Use Only

### 1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands  
ProRestore Products  
15180 Josh Wilson Road  
Burlington, WA 98233  
800-932-3030

### 1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)  
1-352-323-3500 (International)

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Flammable liquids	Category 2

### 2.2 Label elements

#### Signal Word

Danger

#### Hazard Statements

Causes serious eye irritation  
May cause an allergic skin reaction  
May cause cancer  
May cause drowsiness or dizziness  
Highly flammable liquid and vapor



**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing should not be allowed out of the workplace  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/Bond container and receiving equipment  
 Use explosion-proof electrical/ventilating/lighting/equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Keep cool

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 In case of fire: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**2.3 Other Hazards Hazards not otherwise classified (HNOC)**

Not Applicable

**2.4 Other information**

Not Applicable

**Unknown Acute Toxicity**

21.2037% of the mixture consists of ingredient(s) of unknown toxicity

**3. Composition/Information on Ingredients**

**Substance**

Chemical Name	CAS-No	Weight %
ISOPROPYL ALCOHOL	67-63-0	50 - 60
Pine Oil	8002-09-3	5 - 10
Diethyl Phthalate	84-66-2	5 - 10
BENZYL BENZOATE	120-51-4	1 - 5
BENZENE, 1,1'-OXYBIS-	101-84-8	1 - 5
AMYL ACETATE	628-63-7	1 - 5

Vanillin	121-33-5	1 - 5
TERPENES AND TERPENOIDS, SWEET ORANGE-OIL	68647-72-3	< 1
Ethyl Acetate	141-78-6	< 1
BENZALDEHYDE	100-52-7	< 1
Acetaldehyde	75-07-0	< 1

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First aid measures

### 4.1 Description of first-aid measures

<b>General advice</b>	Show this material safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.
<b>Eye contact</b>	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Use a mild soap if available. Call a physician if irritation develops or persists. If skin irritation persists, call a physician.
<b>Inhalation</b>	Immediate medical attention is required. Move to fresh air. If not breathing, give artificial respiration.
<b>Ingestion</b>	Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

### 4.3 Recommendations for immediate medical care and/or special treatment

**Notes to physician** Treat symptomatically.

## 5. Fire-Fighting Measures

### 5.1 Extinguishing media

**Suitable extinguishing media**

Water spray Carbon dioxide (CO<sub>2</sub>) Dry powder Alcohol-resistant foam

**Small Fires** Dry chemical or CO<sub>2</sub>.

**Large Fires** Alcohol type or all purpose foam.

**Unsuitable Extinguishing Media** High volume water jet.

### 5.2 Specific hazards arising from the substance or mixture

**Special Hazard**

Hazardous decomposition products formed under fire conditions Flash back possible over considerable distance

**Hazardous Combustion Products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental Release Measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

**6.3 Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**7. Handling and storage**

**7.1 Precautions for safe handling**

**Advice on safe handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Vapors may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Keep away from sources of ignition - No smoking.

**Hygiene measures** When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Use only in area provided with appropriate exhaust ventilation. Keep locked up or in an area accessible only to qualified or authorized persons. Use only explosion-proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Electrical equipment should be protected to the appropriate standard. Store between 41 and 77 °F (5 - 25° C) in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Store in original container.

**Materials to Avoid** Strong oxidizing agents.

**8. Exposure controls/personal protection**

**8.1 Occupational Exposure Limits (OEL)**

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
ISOPROPYL ALCOHOL 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm
Diethyl Phthalate 84-66-2	TWA: 5 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
BENZENE, 1,1'-OXYBIS- 101-84-8	STEL: 2 ppm vapor TWA: 1 ppm vapor	TWA: 1 ppm vapor TWA: 7 mg/m <sup>3</sup> vapor	TWA: 1 ppm STEL: 2 ppm	TWA: 1 ppm TWA: 7 mg/m <sup>3</sup> STEL: 2 ppm STEL: 14 mg/m <sup>3</sup>	TWA: 1 ppm TWA: 7 mg/m <sup>3</sup> STEL: 2 ppm STEL: 14 mg/m <sup>3</sup>	TWA: 1 ppm STEL: 2 ppm
AMYL ACETATE	STEL: 100 ppm	TWA: 100 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm

628-63-7	TWA: 50 ppm	TWA: 525 mg/m <sup>3</sup>	STEL: 100 ppm	TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	STEL: 100 ppm
Ethyl Acetate 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m <sup>3</sup>	TWA: 150 ppm	TWA: 400 ppm TWA: 1440 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 1440 mg/m <sup>3</sup>	TWA: 400 ppm
BENZALDEHYDE 100-52-7	-	-				STEL: 4 ppm STEL: 17 mg/m <sup>3</sup>
Acetaldehyde 75-07-0	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m <sup>3</sup>	Ceiling: 25 ppm	Ceiling: 25 ppm Ceiling: 45 mg/m <sup>3</sup>	Ceiling: 25 ppm Ceiling: 45 mg/m <sup>3</sup>	CEV: 25 ppm

**8.2 Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**8.3 Individual protection measures, such as personal protective equipment**

- Eye/Face Protection** Safety glasses with side-shields.
- Skin and body protection** Long sleeved clothing. Rubber or plastic apron.
- Respiratory protection** Respirator with a vapor filter (EN 141).
- Hygiene measures** See section 7 for more information

**9. Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Physical state** Liquid  
**Appearance** Clear liquid  
**Color** light yellow  
**Odor** Floral  
**Odor Threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
<b>pH</b>	6.0	
<b>Melting/freezing point</b>		No information available
<b>Boiling point/boiling range</b>	82 °C / 180 °F	
<b>Flash Point</b>	21 °C / 70 °F	
<b>Evaporation rate</b>	45	
<b>Flammability (solid, gas)</b>		No information available
<b>Flammability Limits in Air</b>		
upper flammability limit		No information available
lower flammability limit		No information available
<b>Vapor pressure</b>		No information available
<b>Vapor density</b>		No information available
<b>Specific Gravity</b>	0.89	
<b>Water solubility</b>	completely soluble	
<b>Solubility in other solvents</b>		No information available
<b>Partition coefficient</b>		No information available
<b>Autoignition temperature</b>		No information available
<b>Decomposition temperature</b>		No information available
<b>Viscosity, kinematic</b>		No information available
<b>Viscosity, dynamic</b>		No information available
<b>Explosive properties</b>		No information available
<b>Oxidizing Properties</b>		No information available

**9.2 Other information**

**Volatile organic compounds (VOC) content** 614 g/L

**10. Stability and Reactivity**

**10.1 Reactivity**

No data available

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

None under normal processing.

**10.4 Conditions to Avoid**

Direct sources of heat.

**10.5 Incompatible Materials**

Strong oxidizing agents.

**10.6 Hazardous Decomposition Products**

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

**11. Toxicological information**

**11.1 Acute toxicity**

**Numerical measures of toxicity: Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**Unknown Acute Toxicity** 21.2037% of the mixture consists of ingredient(s) of unknown toxicity

**Oral LD50** 2,112.00 mg/kg  
**Dermal LD50** 5,148.00 mg/kg

**Numerical measures of toxicity: Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ISOPROPYL ALCOHOL 67-63-0	1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Diethyl Phthalate 84-66-2	-	> 11200 mg/kg ( Rat )	-
BENZYL BENZOATE 120-51-4	500 mg/kg ( Rat )	= 4000 mg/kg ( Rabbit )	-
BENZENE, 1,1'-OXYBIS- 101-84-8	-	> 7940 mg/kg ( Rabbit )	-
Vanillin 121-33-5	1580 mg/kg ( Rat )	> 5010 mg/kg ( Rabbit )	-
TERPENES AND TERPENOIDS, SWEET ORANGE-OIL 68647-72-3	4400 mg/kg ( Rat )	>5 g/kg ( Rabbit )	-
Ethyl Acetate 141-78-6	5620 mg/kg ( Rat )	> 18000 mg/kg ( Rabbit )	-
BENZALDEHYDE 100-52-7	1292 mg/kg ( Rat )	> 1250 mg/kg ( Rabbit )	-
Acetaldehyde 75-07-0	660 mg/kg ( Rat )	-	= 13000 ppm ( Rat ) 4 h

**11.2 Information on toxicological effects**

**Skin corrosion/irritation**

Product Information

- No information available

Component Information

- No information available

**Eye damage/irritation**

Product Information

- No information available

Component Information

- No information available

**Respiratory or skin sensitization**

Product Information

- No information available

Component Information

- No information available

**Germ Cell Mutagenicity**

Product Information

- No information available

Component Information

- No information available

**Carcinogenicity**

- The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
ISOPROPYL ALCOHOL 67-63-0	-	Group 1 Group 3	-	
Acetaldehyde 75-07-0	A2	Group 1 Group 2B	Reasonably Anticipated	

**Reproductive toxicity**

Product Information

- No information available

Component Information

- No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

- Contains a known or suspected reproductive toxin

**Other adverse effects**

Target Organs

- Central nervous system
- Eyes
- Kidney
- Reproductive system
- Respiratory system
- Skin
- Peripheral Nervous System (PNS)

Product Information

- No information available

Component Information

- No information available

**Aspiration hazard**

Product Information

- No information available
- Component Information
- No information available

**12. Ecological information**

**12.1 Toxicity**

**Ecotoxicity** No information available

15.2628 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ISOPROPYL ALCOHOL 67-63-0	EC50: 96 h <i>Desmodesmus subspicatus</i> 1000 mg/L EC50: 72 h <i>Desmodesmus subspicatus</i> 1000 mg/L	LC50: 96 h <i>Pimephales promelas</i> 9640 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 11130 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 1400000 µg/L	EC50: 48 h <i>Daphnia magna</i> 13299 mg/L
Pine Oil 8002-09-3	-	-	EC50: 48 h <i>Daphnia magna</i> 17 - 28 mg/L Flow through
Diethyl Phthalate 84-66-2	EC50: 72 h <i>Desmodesmus subspicatus</i> 23 mg/L EC50: 72 h <i>Desmodesmus subspicatus</i> 23 mg/L static EC50: 96 h <i>Desmodesmus subspicatus</i> 21 mg/L EC50: 96 h <i>Desmodesmus subspicatus</i> 21 mg/L static EC50: 72 h <i>Pseudokirchneriella subcapitata</i> 42 - 255 mg/L EC50: 96 h <i>Pseudokirchneriella subcapitata</i> 2.11 - 4.29 mg/L static	LC50: 96 h <i>Pimephales promelas</i> 17 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 16.8 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 22 mg/L flow-through LC50: 96 h <i>Lepomis macrochirus</i> 16.7 mg/L static LC50: 96 h <i>Oncorhynchus mykiss</i> 12 mg/L flow-through	EC50: 48 h <i>Daphnia magna</i> 36 - 74 mg/L EC50: 48 h <i>Daphnia magna</i> 86 mg/L Static
BENZENE, 1,1'-OXYBIS- 101-84-8	-	LC50: 96 h <i>Pimephales promelas</i> 4 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 4 - 7.9 mg/L static	LC50: 48 h <i>Daphnia magna</i> 0.11 - 1.1 mg/L
AMYL ACETATE 628-63-7	-	LC50: 96 h <i>Lepomis macrochirus</i> 650 mg/L static	-
Vanillin 121-33-5	-	LC50: 96 h <i>Pimephales promelas</i> 53 - 61.3 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 88 mg/L static LC50: 96 h <i>Pimephales promelas</i> 57 mg/L semi-static	-
Ethyl Acetate 141-78-6	-	LC50: 96 h <i>Pimephales promelas</i> 220 - 250 mg/L flow-through LC50: 96 h <i>Oncorhynchus mykiss</i> 484 mg/L flow-through LC50: 96 h <i>Oncorhynchus mykiss</i> 352 - 500 mg/L semi-static	EC50: 48 h <i>Daphnia magna</i> 560 mg/L Static
BENZALDEHYDE 100-52-7	-	LC50: 96 h <i>Oncorhynchus mykiss</i> 10.6 - 11.8 mg/L flow-through LC50: 96 h <i>Oncorhynchus mykiss</i> 12.69 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 0.8 - 1.44 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 6.8 - 8.53 mg/L flow-through LC50: 96 h <i>Lepomis macrochirus</i> 7.5 mg/L static	-
Acetaldehyde 75-07-0	-	LC50: 96 h <i>Pimephales promelas</i> 28.0 - 34.0 mg/L flow-through LC50: 96 h <i>Lepomis macrochirus</i> 53 mg/L static LC50: 96 h <i>Oncorhynchus mykiss</i> 1.8 - 2.4 mg/L static LC50: 96 h <i>Pimephales promelas</i> 39.8 - 46.8 mg/L static	EC50: 48 h <i>Daphnia magna</i> 3.64 - 6.15 mg/L Static EC50: 48 h <i>Daphnia magna</i> 48.3 mg/L



**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

Discharge into the environment must be avoided

Chemical Name	log Pow
ISOPROPYL ALCOHOL 67-63-0	0.05
Diethyl Phthalate 84-66-2	2.35
BENZENE, 1,1'-OXYBIS- 101-84-8	4.24
Vanillin 121-33-5	1.23
Ethyl Acetate 141-78-6	0.6
BENZALDEHYDE 100-52-7	1.48
Acetaldehyde 75-07-0	0.5

**12.4 Mobility in soil**

No information available.

**12.5 Other adverse effects**

No information available

**13. Disposal Considerations**

**13.1 Waste Disposal Guidance**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**14. Transport Information**

**DOT** Quarts ship as limited quantity  
**UN/ID No** 1993  
**Proper shipping name** Flammable Liquid, N.O.S. (Isopropanol)  
**Hazard class** 3  
**Packing Group** II

**MEX** no data available

**IMDG**  
**Proper shipping name** FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)  
**Hazard class** 3  
**UN Number** 1993  
**Packing Group** II  
**Marine pollutant** No

**IATA**

**15. Regulatory information**

**15.1 International Inventories**

<b>TSCA</b>	Complies
<b>DSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	-
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	-

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL** - Canadian Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

**15.2 U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
ISOPROPYL ALCOHOL 67-63-0	1.0
Acetaldehyde 75-07-0	0.1

**15.3 Pesticide Information**

Not applicable

**15.4 U.S. State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Acetaldehyde - 75-07-0	Carcinogen

**16. Other information**

<b>NFPA</b>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards -
<b>HMIS</b>	Health Hazard 2	Flammability 4	Physical Hazard 0	Personal protection X

**Legend:**

ACGIH (American Conference of Governmental Industrial Hygienists)  
 Ceiling (C)  
 DOT (Department of Transportation)  
 EPA (Environmental Protection Agency)  
 IARC (International Agency for Research on Cancer)  
 International Air Transport Association (IATA)  
 International Maritime Dangerous Goods (IMDG)  
 NIOSH (National Institute for Occupational Safety and Health)

---

*NTP (National Toxicology Program)*  
*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*  
*PEL (Permissible Exposure Limit)*  
*Reportable Quantity (RQ)*  
*Skin designation (S\*)*  
*STEL (Short Term Exposure Limit)*  
*TLV® (Threshold Limit Value)*  
*TWA (time-weighted average)*

**Revision Date** 21-May-2015

**Revision Note**  
No information available

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**